

# V4 SILVER MODEL CORA SERIES 20 FEET HEAD VERTICAL BOREWELL SUBMERSIBLE PUMPSET



Suitable for 100mm (4") borewell  
 Approx performance chart at 2880 RPM, 350 to 420V (T.P), 160 to 230V (S.P), 50Hz AC Supply

## DP - 1 C

OUTLET SIZE:- 32 MM				Price ₹		DISCHARGE IN LPM							
Model No.	Motor Rating		STAGE	Single Phase	Three Phase	DISCHARGE IN LPM							
	Kw	H.P.				0	15	20	25	35	45	50	60
DP1C-5010	0.37	0.5	10	12064		60	55	50	45	40	35	25	15
DP1C-7512	0.55	0.75	12	13256		72	66	60	54	48	42	30	18
DP1C-7515	0.55	0.75	15	13514		90	82	75	68	60	53	38	23
DP1C-116	0.75	1.00	16	15075		96	88	80	72	64	56	40	24
DP1C-118	0.75	1.00	18	15272		108	99	90	81	72	63	45	27
DP1C-1525	1.10	1.50	25	18797		150	136	125	112	100	88	63	38
DP1C-230	1.50	2.00	30	22405		180	165	150	135	120	105	75	45
DP1C-235	1.50	2.00	35	24758		210	192	175	158	140	120	88	53

## DP - 2 C

OUTLET SIZE:- 32 MM				Price ₹		DISCHARGE IN LPM							
Model No.	Motor Rating		STAGE	Single Phase	Three Phase	DISCHARGE IN LPM							
	Kw	H.P.				0	25	35	45	50	55	60	70
DP2C-508	0.37	0.5	8	11895		48	44	40	36	32	28	20	8
DP2C-7510	0.55	0.75	10	13086		60	55	50	45	40	35	25	10
DP2C-113	0.75	1.00	13	14786		78	72	65	59	52	46	33	13
DP2C-115	0.75	1.00	15	14980		90	83	75	68	60	53	38	15
DP2C-1520	1.1	1.50	20	18355		120	110	100	90	80	70	50	20
DP2C-225	1.50	2.00	25	21961		150	138	125	113	100	88	63	25

## DP - 4 C

OUTLET SIZE:- 32 MM (1.25")				Price ₹		DISCHARGE IN LPM							
Model No.	Motor Rating		STAGE	Single Phase	Three Phase	DISCHARGE IN LPM							
	Kw	H.P.				0	45	55	70	80	90	100	120
DP4C-505	0.37	0.5	5	11668		30	25	23	20	18	15	10	5
DP4C-758	0.55	0.75	8	12960		48	40	36	32	28	24	16	8
DP4C-110	0.75	1.00	10	14548		60	50	45	40	35	30	20	10
DP4C-112	0.75	1.00	12	14753		72	60	54	48	42	36	24	12
DP4C-1515	1.10	1.50	15	17991		90	75	68	60	53	45	30	15
DP4C-220	1.50	2.00	20	21627		120	100	90	80	70	60	40	20

# V4 SILVER MODEL CORA SERIES 20 FEET HEAD VERTICAL BOREWELL SUBMERSIBLE PUMPSET



Suitable for 100mm (4") borewell  
Approx performance chart at 2880 RPM, 350 to 420V (T.P), 160 to 230V (S.P), 50Hz AC Supply

## DP-5C

OUTLET SIZE:- 40 MM (1.5")				Price ₹		DISCHARGE IN LPM							
Model No.	Motor Rating		STAGE	Single Phase	Three Phase								
	Kw	H.P.				0	60	75	85	90	105	135	150
DP5C-18	0.75	1.00	8	14421		48	40	36	32	28	24	16	8
DP5C-1512	1.10	1.50	12	17827		72	60	54	48	42	36	24	12
DP5C-215	1.50	2.00	15	21327		90	75	68	60	53	45	30	15

## DP-7C

OUTLET SIZE:- 40 MM (1.5")				Price ₹		DISCHARGE IN LPM							
Model No.	Motor Rating		STAGE	Single Phase	Three Phase								
	Kw	H.P.				0	65	75	100	110	130	155	180
DP7C-1510	1.10	1.50	10	17710		60	50	45	40	35	30	20	10
DP7C-214	1.50	2.00	14	21200		84	70	63	56	49	42	28	14

## DP-10C

OUTLET SIZE:- 50 MM (2.0")				Price ₹		DISCHARGE IN LPM							
Model No.	Motor Rating		STAGE	Single Phase	Three Phase								
	Kw	H.P.				0	120	130	140	150	165	185	200
DP10C-158	1.10	1.50	8	17590		48	40	36	32	28	24	16	8
DP10C-210	1.50	2.00	10	21135		60	50	45	40	35	30	20	10

“

DON'T BE MEAN

KEEP IT GREEN

”



# V4 REGULAR MODEL CORA SERIES 20 FEET HEAD VERTICAL BOREWELL SUBMERSIBLE PUMPSET



Suitable for 100mm (4") borewell

Approx performance chart at 2880 RPM, 350 to 420V (T.P), 160 to 230V (S.P), 50Hz AC Supply

## DP - 1 C

DP SP/TP - TUBRO MOTOR WITH COPPER ROTOR

OUTLET SIZE:- 32 MM				Price ₹		DISCHARGE IN LPM							
Model No.	Motor Rating		STAGE	Single Phase	Three Phase	DISCHARGE IN LPM							
	Kw	H.P.				0	15	20	25	35	45	50	60
DP1C-5010	0.37	0.5	10	12718		60	55	50	45	40	35	25	15
DP1C-7512	0.55	0.75	12	14332		72	66	60	54	48	42	30	18
DP1C-7515	0.55	0.75	15	14616		90	82	75	68	60	53	38	23
DP1C-116	0.75	1.00	16	16925		96	88	80	72	64	56	40	24
DP1C-118	0.75	1.00	18	17109		108	99	90	81	72	63	45	27
DP1C-1525	1.10	1.50	25	20232		150	136	125	112	100	88	63	38
DP1C-230	1.50	2.00	30	24762		180	165	150	135	120	105	75	45
DP1C-235	1.50	2.00	35	26300		210	192	175	158	140	120	88	53
DP1C-245	2.20	3.00	45	32008		270	248	225	203	180	158	113	68

## DP - 2 C

OUTLET SIZE:- 32 MM				Price ₹		DISCHARGE IN LPM							
Model No.	Motor Rating		STAGE	Single Phase	Three Phase	DISCHARGE IN LPM							
	Kw	H.P.				0	25	35	45	50	55	60	70
DP2C-508	0.37	0.5	8	12633		48	44	40	36	32	28	20	8
DP2C-7510	0.55	0.75	10	14276		60	55	50	45	40	35	25	10
DP2C-113	0.75	1.00	13	16868		78	72	65	59	52	46	33	13
DP2C-115	0.75	1.00	15	17037		90	83	75	68	60	53	38	15
DP2C-1520	1.1	1.50	20	17487		120	110	100	90	80	70	50	20
DP2C-225	1.50	2.00	25	23828		150	138	125	113	100	88	63	25
DP2C-330	2.20	3.00	30	28814		180	165	150	135	120	105	75	30
DP2C-335	2.20	3.00	35	29841		210	193	175	158	140	123	88	35
DP2C-340	2.20	3.00	40	30903		240	200	180	160	140	120	100	40
DP2C-545	3.70	5.00	45	39731		270	225	203	180	158	135	113	45
DP2C-550	3.70	5.00	50	40576		300	250	225	200	175	150	125	50
DP2C-655	3.70	6.00	55	47913		330	275	248	220	193	165	138	55
DP2C-660	4.50	6.00	60	48972		360	300	270	240	210	180	150	60
DP2C-770	5.60	7.50	70	54413		420	385	350	315	280	245	175	70

# V4 REGULAR MODEL CORA SERIES 20 FEET HEAD VERTICAL BOREWELL SUBMERSIBLE PUMPSET



Suitable for 100mm (4") borewell

Approx performance chart at 2880 RPM, 350 to 420V (T.P), 160 to 230V (S.P), 50Hz AC Supply

## DP - 4 C

DP SP/TP - TUBRO MOTOR WITH COPPER ROTOR

OUTLET SIZE:- 32 MM (1.25")				Price ₹		DISCHARGE IN LPM							
Model No.	Motor Rating		STAGE	Single Phase	Three Phase	0	45	55	70	80	90	100	120
	Kw	H.P.											
DP4C-505	0.37	0.5	5		12590	30	25	23	20	18	15	10	5
DP4C-758	0.55	0.75	8		14106	48	40	36	32	28	24	16	8
DP4C-110	0.75	1.00	10		16740	60	50	45	40	35	30	20	10
DP4C-112	0.75	1.00	12		16925	72	60	54	48	42	36	24	12
DP4C-1515	1.10	1.50	15		19305	90	75	68	60	53	45	30	15
DP4C-220	1.50	2.00	20		23099	120	100	90	80	70	60	40	20
DP4C-325	2.20	3.00	25		27433	150	125	113	100	88	75	50	25
DP4C-535	3.70	5.00	35		36851	210	175	158	140	123	105	70	35
DP4C-540	3.70	5.00	40		38905	240	200	180	160	140	120	80	40
DP4C-645	4.50	6.00	45		45845	270	225	203	180	158	135	90	45
DP4C-650	4.50	6.00	50		46893	300	250	225	200	175	150	100	50
DP4C-760	5.60	7.50	60		52346	360	300	270	240	210	180	120	60

## DP - 5 C

OUTLET SIZE:- 40 MM (1.5")				Price ₹		DISCHARGE IN LPM							
Model No.	Motor Rating		STAGE	Single Phase	Three Phase	0	60	75	85	90	105	135	150
	Kw	H.P.											
DP5C-18	0.75	1.00	8		16457	48	40	36	32	28	24	16	8
DP5C-1512	1.10	1.50	12		19176	72	60	54	48	42	36	24	12
DP5C-215	1.50	2.00	15		22930	90	75	68	60	53	45	30	15
DP5C-320	2.20	3.00	20		26803	120	100	90	80	70	60	40	20
DP5C-322	2.20	3.00	22		27023	132	110	99	88	77	66	44	22
DP5C-530	3.70	5.00	30		35903	180	150	135	120	105	90	60	30
DP5C-640	4.50	6.00	40		44825	240	200	180	160	140	120	80	40
DP5C-745	5.60	7.50	45		49740	270	225	203	180	158	135	90	45
DP5C-750	5.60	7.50	50		50448	300	250	225	200	175	150	100	50



# V4 REGULAR MODEL CORA SERIES 20 FEET HEAD VERTICAL BOREWELL SUBMERSIBLE PUMPSET



Suitable for 100mm (4") borewell  
Approx performance chart at 2880 RPM, 350 to 420V (T.P), 160 to 230V (S.P), 50Hz AC Supply

## DP-7C

OUTLET SIZE:- 40 MM (1.5")				Price ₹		DISCHARGE IN LPM							
Model No.	Motor Rating		STAGE	Single Phase	Three Phase								
	Kw	H.P.				0	65	75	100	110	130	155	180
DP7C-17	0.75	1.00	7	16358		42	35	32	28	25	21	14	7
DP7C-1510	1.10	1.50	10	18950		60	50	45	40	35	30	20	10
DP7C-214	1.50	2.00	14	22930		84	70	63	56	49	42	28	14
DP7C-318	2.20	3.00	18	26655		108	90	81	72	63	54	36	18
DP7C-525	3.70	5.00	25	35045		150	125	113	100	88	75	50	25
DP7C740	5.60	7.50	40	48890		240	200	180	160	140	120	80	40

## DP-10C

OUTLET SIZE:- 50 MM (2.0")				Price ₹		DISCHARGE IN LPM							
Model No.	Motor Rating		STAGE	Single Phase	Three Phase								
	Kw	H.P.				0	120	130	140	150	165	185	200
DP10C-15	0.75	1.00	5	16457		30	25	23	20	18	15	10	5
DP10C-158	1.10	1.50	8	19184		48	40	36	32	28	24	16	8
DP10C-210	1.50	2.00	10	23099		60	50	45	40	35	30	20	10
DP10C-315	2.20	3.00	15	26796		90	75	68	60	53	45	30	15
DP10C-520	3.70	5.00	20	33736		120	100	90	80	70	60	40	20

## DP-12C

OUTLET SIZE:- 50 MM (2.0")				Price ₹		DISCHARGE IN LPM							
Model No.	Motor Rating		STAGE	Single Phase	Three Phase								
	Kw	H.P.				0	135	145	170	180	200	220	240
DP12C-156	1.10	1.50	6	19445		36	30	27	24	21	18	12	6
DP12C-28	1.50	2.00	8	23283		48	40	36	32	28	24	16	8
DP12C-312	2.20	3.00	12	26045		72	60	54	48	42	36	24	12
DP12C-516	3.70	5.00	16	32702		96	80	72	64	56	48	32	16

## DP-18C

OUTLET SIZE:- 50 MM (2.0")				Price ₹		DISCHARGE IN LPM							
Model No.	Motor Rating		STAGE	Single Phase	Three Phase								
	Kw	H.P.				0	130	180	220	250	310	350	410
DP18C-26	1.50	2.00	6	25705		30	27	24	21	18	12	9	6
DP18C-38	1.50	3.00	8	28467		40	36	32	28	24	16	12	8
DP18C-310	2.20	3.00	10	29331		50	45	40	35	30	20	15	10
DP18C-512	3.70	5.00	12	36682		60	54	48	42	36	24	18	12

# V4 GOLD MODEL R SERIES 28FEET HEAD VERTICAL BOREWELL SUBMERSIBLE PUMPSET



Suitable for 100mm (4") borewell  
 Approx performance chart at 2880 RPM, 350 to 420V (T.P), 160 to 230V (S.P), 50Hz AC Supply

## DP - R 1

OUTLET SIZE:- 32 MM (1.25")				Price ₹		DISCHARGE IN LPM								
Model No.	Motor Rating		STAGE	Single Phase	Three Phase	DISCHARGE IN LPM								
	Kw	H.P..				0	15	20	26	31	38	44	50	65
DP1R-507	0.38	0.50	7	14516		49	46	43	40	35	29	21	10	7
DP1R-7510	0.56	0.75	10	16188		70	65	61	57	50	41	30	14	10
DP1R-113	0.75	1.00	13	18200		91	85	79	74	65	53	39	18	13
DP1R-116	0.75	1.00	16	18765		112	104	98	91	80	66	48	22	16
DP1R-1520	1.10	1.50	20	20338		140	130	122	114	100	82	60	28	20
DP1R-1524	1.10	1.50	24	21216		168	156	146	137	120	98	72	34	24
DP1R-225	1.50	2.00	25	24997		175	163	153	143	125	103	75	35	25
DP1R-230	1.50	2.00	30	25635		210	195	183	171	150	123	90	42	30
DP1R-336	2.20	3.00	36	31512		252	234	220	205	180	148	108	50	36
DP1R-340	2.20	3.00	40	33651		280	260	244	228	200	164	120	56	40

## DP - R 2

OUTLET SIZE:- 32 MM (1.25")				Price ₹		DISCHARGE IN LPM								
Model No.	Motor Rating		STAGE	Single Phase	Three Phase	DISCHARGE IN LPM								
	Kw	H.P..				0	20	25	32	40	50	55	60	70
DP2R-506	0.38	0.50	6	14347		45	41	39	35	30	22	16	10	6
DP2R-758	0.56	0.75	8	15792		60	54	52	46	40	30	22	13	8
DP2R-759	0.56	0.75	9	16032		68	61	59	52	45	33	24	14	9
DP2R-110	0.75	1.00	10	17718		82	68	65	58	50	37	27	16	10
DP2R-112	0.75	1.00	12	18015		90	82	78	70	60	44	32	19	12
DP2R-1515	1.10	1.50	15	19615		113	102	98	87	75	56	41	24	15
DP2R-1518	1.10	1.50	18	19998		135	122	117	104	90	67	49	29	18
DP2R-220	1.50	2.00	20	24290		150	136	130	116	100	74	54	32	20
DP2R-222	1.50	2.00	22	24573		165	150	143	128	110	81	59	35	22
DP2R-330	2.20	3.00	30	30492		225	204	195	174	150	111	81	48	30
DP2R-335	2.20	3.00	35	31343		263	238	228	203	175	130	95	56	35
DP2R-445	3.00	4.00	45	36115		338	306	293	261	225	167	122	72	45
DP2R-440	3.00	4.00	40	35478		300	272	260	232	200	148	108	64	40
DP2R-550	3.70	5.00	50	43395		375	340	325	290	250	185	135	80	50

# V4 GOLD MODEL R SERIES 28FEET HEAD VERTICAL BOREWELL SUBMERSIBLE PUMPSET



Suitable for 100mm (4") borewell  
 Approx performance chart at 2880 RPM, 350 to 420V (T.P), 160 to 230V (S.P), 50Hz AC Supply

## DP - R 4

DP SP/TP - TUBRO MOTOR WITH COPPER ROTOR

OUTLET SIZE:- 32 MM (1.25")				Price ₹		DISCHARGE IN LPM									
Model No.	Motor Rating		STAGE	Single Phase	Three Phase	0	20	25	32	40	50	55	60	70	
	Kw	H.P.													
DP4R-756	0.56	0.75	6	15452		48	46	44	38	30	25	19	11	6	
DP4R-18	0.75	1.00	8	17207		64	62	58	50	40	34	25	15	8	
DP4R-19	0.75	1.00	9	17377		72	69	66	57	45	38	28	17	9	
DP4R-1510	1.10	1.50	10	18836		80	77	73	63	50	42	31	19	10	
DP4R-1512	1.10	1.50	12	19148		96	92	88	76	60	50	37	23	12	
DP4R-213	1.50	2.00	13	23198		104	100	95	82	65	55	40	25	13	
DP4R-216	1.50	2.00	16	23666		128	123	117	101	80	67	50	30	16	
DP4R-320	2.20	3.00	20	28935		160	154	146	126	100	84	62	38	20	
DP4R-324	2.20	3.00	24	29557		192	185	175	151	120	101	74	46	24	
DP4R-326	2.20	3.00	26	29870		208	200	190	164	130	109	81	49	26	
DP4R-430	3.00	4.00	30	33920		240	231	219	189	150	126	93	57	30	
DP4R-535	3.75	5.00	35	39430		280	270	256	221	175	147	109	67	35	
DP4R-540	3.75	5.00	40	40280		320	308	292	252	200	168	124	76	40	
DP4R-645	4.50	6.00	45	47445		360	347	329	284	225	189	140	86	45	
DP4R-750	5.60	7.50	50	53606		400	385	365	315	250	210	155	95	50	

## DP - R 5

OUTLET SIZE:- 38 MM (1.50")				Price ₹		DISCHARGE IN LPM									
Model No.	Motor Rating		STAGE	Single Phase	Three Phase	0	40	55	70	90	98	110	125	135	
	Kw	H.P.													
DP5R-16	0.75	1.00	6	17377		48	44	41	37	30	27	22	14	6	
DP5R-159	1.10	1.50	9	19630		72	66	61	56	45	41	32	21	9	
DP5R-212	1.50	2.00	12	22520		96	88	82	74	60	54	43	28	12	
DP5R-315	2.20	3.00	15	27971		120	110	102	93	75	68	54	35	15	
DP5R-318	2.20	3.00	18	28963		144	131	122	112	90	81	65	41	18	
DP5R-420	3.00	4.00	20	30804		160	146	136	124	100	90	72	46	20	
DP5R-525	3.75	5.00	25	37730		200	183	170	155	125	113	90	58	25	
DP5R-630	4.50	6.00	30	45746		240	219	204	186	150	135	108	69	30	
DP5R-632	4.50	6.00	32	46030		256	234	218	198	160	144	115	74	32	
DP5R-735	5.60	7.50	35	50703		280	256	238	217	175	158	126	81	35	
DP5R-740	5.60	7.50	40	51695		320	292	272	248	200	180	144	92	40	

**V4** GOLD MODEL **R** SERIES **28FEET** HEAD **VERTICAL BOREWELL SUBMERSIBLE PUMPSET**



Suitable for 100mm (4") borewell  
 Approx performance chart at 2880 RPM, 350 to 420V (T.P), 160 to 230V (S.P), 50Hz AC Supply

**DP - R 7**

DP SP/TP - TUBRO MOTOR WITH COPPER ROTOR

OUTLET SIZE:- 38 MM (1.50")				Price ₹		DISCHARGE IN LPM								
Model No.	Motor Rating		STAGE	Single Phase	Three Phase	0	65	80	95	120	135	142	150	170
	Kw	H.P..												
DP7R-1	0.75	1.00	4	17038		32	28	26	24	20	17	14	11	4
DP7R-156	1.10	1.50	6	19120		48	42	39	37	30	25	21	17	6
DP7R-28	1.50	2.00	8	21980		64	56	52	49	40	34	28	22	8
DP7R-210	1.50	2.00	10	22320		80	70	65	61	50	42	35	28	10
DP7R-312	2.20	3.00	12	27461		96	84	78	73	60	50	42	34	12
DP7R-314	2.20	3.00	14	27688		112	98	91	85	70	59	49	39	14
DP7R-416	3.00	4.00	16	30096		128	112	104	98	80	67	56	45	16
DP7R-520	3.75	5.00	20	37036		160	140	130	122	100	84	70	56	20
DP7R-625	4.50	6.00	25	44613		200	175	163	153	125	105	88	70	25
DP7R-730	5.60	7.00	30	48438		240	210	195	183	150	126	105	84	30

“  
**WATER IS A PRICELESS  
 GIFT OF NATURE,  
 SO SAVE IT FOR FUTURE**  
 ”

